


FLORA

220W NS5


(Microsoft® Windows® XP Professional Operating System)

4






5 000 Q&A



URL



□ □ □ □ □ □ □ □ □ □
□ □ □ □ □ □ □ □ □ □

□ □ □ 1

1□ □ □ □ □ □ □ □ □ 5

□ □ □ □ □ □ □ □ □ □ □ □ □ □ 6

[□ □ □ □ □ □ □ □] □ □ □ 6

□ □ □ □ □ □ □ □ □ □ □ □ □ □ 7

□ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ 8

□ □ □ □ □ □ □ □ □ □ □ □ □ □ 9

□ □ □ □ □ □ □ □ □ □ □ □ □ □ 9

□ □ □ □ □ □ □ □ □ □ □ □ □ □ 9

□ □ □ □ □ □ □ □ □ □ □ □ □ □ 11

□ □ □ □ □ □ □ 12

□ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ 12

□ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ 12

[□ □] □ □ □ □ □ □ □ □ □ □ □ □ 13

[□ □ □ □ □ □ □ □ □ □ □ □ □ □] □ □ □ □ □ □ 13

□ □ □ □ □ □ [□ □] □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ 14

CD/DVD □ □ □ □ □ □ □ □ □ □ □ □ □ □ 15

DVD Video □ □ □ □ □ □ □ □ □ □ 15

□ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ 16

Windows □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ 16

□ □ □ □ □ □ (IRQ) □ 17

□ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ 18

□ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ 18

BIOS □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ 19

□ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ 20

□ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ 22

□ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ 23

□ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ 24

□ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ 25

□ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ 25

Wake on LAN □ □ □ □ □ □ □ □ □ □ 26



Wake on LAN □ □ □ □ □ □ □ □ □ □ 26


Wake on LAN □ □ □ □ □ □ □ □ □ □ 26

□ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ 28

USB2.0 □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ 30

DMA	57
	59
	59
VirusScan.	60
Intel Chipset Software Installation Utility.	61
	62
Norton Ghost 2002.	62
Acrobat Reader	63
CyberSupport for HTACH	63
Windows	64
 5	 65
Q&A.	66
	68
	69
	70
DVD	71
FD	72
	73
HDD	73
	73
	75
	75
	78
	81
	83
	83
 	 85
	86
 	 87







□□□□□□□□□□□□□□□□□□□□□□
□□

□□□□□□□□□□□□□□□□□□□□

□□□□

■[Fn]+[F6](☀-□)

[Fn]□□□□□□□□[F6]□□□□□□□□□□□□□□
□□□□□□□□□□□□

□□□□□

■[Fn]+[F7](☀□□)

[Fn]□□□□□□□□[F7]□□□□□□□□□□□□□□□□
□□□□□□□□□□□□□□

□□□□□□□□□□□□□□□□□□□□

□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□
□□□□□□□□□□[□□□□□□□□]□□□□□□□□

[□□□□□□□□□□]□□□□□

1 [□□□□]□□□□-[□□□□□□□□□□]□□□□□□□□□□



□[□□□□□□□□□□]□□□□□

2  [□□]□□□□□□□□□□□□□□□□

□[□□□□□□□□□□]□□□□□□□□□□

ヒント

★ □□□□□□□□□□□□□□
□□□□□□□□□□□□□□
□□□□□□□□□□□□□□
□□□



■ ■ ■ ■ ■ [Fn] ■ [F10(Mute)] ■

[Fn] [] [] [] [] [] [] [] [F10] [] [] [] [] [] [] [] [] [] [] [] [] []
[] [] [] [] []

ヒント

[illegible]

[□ □] □ □ □ □ □ □ □ □ □ □ □ □ □ □

1 □□□□□□ [□□] □□□□□□□□□□□□



□ [□□] □□□□□□□□□□□□□□□□

2 □□□□□□□□□□□□□□□□□□□□□□□□



ヒント

- ★ [□□□□] □□□□□□ (✓)
□□□□□□□□□□□□□□
□□□


[□] □ □ □ □ □ □ □ □

Windows □ [□□□□□□□□□□□□] □□□□□ □□□□□□□□□□□□□□□□□□□

1 □□□□□□ [□□] □□□□□□□□□□□□□□□□

□ [□□□□□□□□□□□□] □□□□□□□□□□

2 □□□□□□□□□□□□□□□□□□□□□□□□□□□□



ヒント

- ★ [□□□□] □□□□ - [□□
□□□□□□□□] - [□□□
□□] - □□□□□□□□□□
□□□ - [□□□□□□□□□
□□□] □□□□□□□□□□
□□□□□□□□□□□□□□
□□□□□□□□□□□□□□

ヒント

- ★ Windows Media Player □□□
□□□ □□□□□□□□□□
□□□□□□□□□□□□□□
□□□□□□ □□□□□□
□ WAVE □□□□□□□□□□
□□□□ □□□□□□□□□□
□□□□ □□□□□□□□□□
□□□□ □□□□□□□□□□
□□□□
- ★ [□□□□] □□□□□□ (✓)
□□□□□□□□□□□□□□
□□□

1 [] - []

2. []

[illegible]

CD/DVD 0 0 0 0 0 0 0 0 0

DVD-Vi deo 0 0 0 0 0

(DVD-ROMSCD-R/RW 0 0 0 0 0 0 0 0 0 0 0)

0 0 0 0 0 0 DVD-Vi deo 0 0 0 0 0 0 0 0 0 0 DVD 0 0 0 0 0 0 0 0
 0 0 0 0 0 0 0 0 0 0 0 0 0 0
 0 0 0 0 0 0 0 0 0 0 0 0 0 0 DVD 0 0 0 0 0 0 0 0 0 0
 0 0 0 0 0 0 0 0 0 0 0 0

DMA 0 0 0 0 0

DVD-ROMSCD-R/RW 0 0 0 0 0 0 DMA 0 0 0 0 0 0 0 0 0 0 DVD-Vi deo 0
 0 0 0 0 0 0 0 0 0 0 0 0 DMA 0 0 0 0 0 0 0 0 0 0

0 0 0 0 0

DVD-Vi deo 0 DVD-ROMSCD-R/RW 0 0 0 0 0 0 0 0 0 0 0 0 0 0
 0 0 0 0 0 (Region Code) 0 0 0 0 0 0 0 DVD-ROMSCD-R/RW 0 0 0 0
 0 0 0 DVD-Vi deo 0 0 0 0 0 0 0 0 0 0 DVD-Vi deo 0 0 0 0 0 0
 0 0 0 0 0 0 0

重要

- ◎ DVD-Vi deo 0 0 0 0 0 0 0 0
 0 0 0 0 0 0 0 0 0 0 0 0

ヒント

- ★ 0 0 0 0 0 0 0 0 2 0 0 0
 0 0 0 0 0 0 0 0 0 0 0 0
 0 0 0 2 0 DVD-Vi deo 0 0
 0 0 0 0 0 0


- ★ DVD-ROMSCD-R/RW 0 0 0 0
 0 0 0 0 0 0 0 0 0 0 0 0
 0 0 0 0 0 0 0 0 0 0 0 0
 0 0 0 0 0 DVD-Vi deo 0 0
 0 0 0 0 0 DVD 0 0 0 0 0
 0 0 0 0 0 0 0 0 0 0
 0 0 0 0 0 0

重要

- ◎ 0 0 0 0 0 0 0 0 0 0 0 0 4
 0 0 0 0 4 0 0 0 0 0 0 0 0
 0 0 0 0 0 0 0 0 0 0 0 0
 0 0 0 0 0 0 0 0 0 0 0 0
 DVD-Vi deo 0 0 0 0 0 0 0 0
 0 0 0

ヒント


- ★ 0 0 0 0 0 0 0 0 0 0 0 0
 0 0 0 0 0 0 0 0 0 0 0 0



Windows

1 [] [] [] [] [] [] [] [] [] [] [] [] [] []

2 []



[] [] [] [] [] [] [] [] [] []

3 □ □ □ □ □ □ □ □ □ □ □ □ □ □



4 [OK] □ □ □ □ □ □ □ □ □ □


★ 

□ □ □ □ □ □ □ □ (I R Q) □ □ I / O □ □ □ □ □ □
 □ □ □ □ □ □ □ □

1 [□ □ □ □ □ □ □ □ □ □] □ □ □ □ □ □

2 [□ □ □ □ □ □] □ □ □ □ □ □ □ □ □ □ [□ □ □ □ □ □ □ □ □ □] □ □ □ □
 □ □ □ □ □ □ □ □

□ [□ □ □ □ □ □ □ □ □ □] □ □ □ □ □ □ □ □




3 [□ □] - [□ □ □ □ (□ □ □)] □ □ □ □ □ □ □ □ □ □

□ □ □ □ □ □ □ □ □ □

4 [□ □ □ □ □ □ (I R Q) □ □ □ □ [□ □ □ (I / O) □ □ □ □ □ □ □ □ □ □ □ □]

□ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □





User	Password
------	----------

[Main] □ □	[SystemTime] □ [SystemDate] □ □ □ □ □ □ □ □ □ □
[Advanced] □ □	[Video Configuration] □ [Display] □ [Panel Setting] □ □ □ □ □ □ □ □ □ □
[Security] □ □	[Set User Password] □ [Set Hard Disk password]*1 □ □ □ □ □ □ □ □ □ □ *1[Change Hard Disk Password] □ [Enabled] □ □ □ □ □
[Boot] □ □	□ □ □ □ □ □ □ □ □ □
[Exit] □ □	[Save Values & Exit] □ [Discard Values & Exit] □ □ □ □ □ □ □ □ □

Hard Disk Password

[illegible][illegible][illegible]

BIOS

0000000000000000

0000000000000000 BIOS000000000000

1 0000000000000000

2 000000000000000000 Press <F12> to enter Boot Menu
 0000000000 [F2] 00000000
 BIOS0000000000000000

Phoenix BIOS Setup Utility		
Main	Advanced	Security Boot Exit
System Memory: 640 KB Extended Memory: xxx MB CPU Information: xxx xxx GHz System BIOS Version: x.xx Keyboard Controller Version: x.xx System Time: [xx:xx:xx] System Date: [xx/xx/xxxx]		Item Specific Help
<input type="checkbox"/> Primary Master [xxx MB] <input type="checkbox"/> Secondary Master [CD-ROM]		
F1 Help ↑↓ Select Item -/Space Change Values F9 Setup Defaults Esc Exit ←→ Select Menu Enter Select ►Sub-menu F10 Save and Exit		

3 [→] □ □ □ □ [Security] □ □ □ □

□ [Security] □ □ □ □ □ □ □ □

The screenshot displays the PhoenixBI OS Setup Utility interface. At the top, the title bar reads "PhoenixBI OS Setup Utility". Below this is a navigation bar with five tabs: "Main", "Advanced", "Security", "Boot", and "Exit". The "Main" tab is currently selected.

The main content area is divided into two sections. The left section contains the following settings:

- Set Supervisor Password: [Enter]
- Set User Password: [Enter]
- Password on boot: [Disabled]
- Change Hard Disk Password: [Disabled]
 - Set Hard Disk Password: [Enter]
- Device Configuration
 - USB: [Enabled]
 - Modem: [Enabled]
 - Audio: [Enabled]
 - LAN: [Enabled]
 - PC Card/IEEE1394: [Enabled]
 - Wireless LAN: [Enabled]

The right section is titled "Item Specific Help" and is currently empty.

At the bottom of the screen is a function key navigation bar:

- F1 Help
- Esc Exit
- ↑ ↓ Select Item
- ← → Select Menu
- / Space Change Values
- Enter Select
- Sub-menu
- F9 Setup Defaults
- F10 Save and Exit

Supervisor Password [] [] [] [] [] [] [] [] User Password [] [] [] [] [] []
[] []

1 [↑] [↓] [Set Supervisor Password] [Enter]
[] [] [] []

Set	Supervisor	Password:
Enter New Password	[]
Confirm New Password	[]

```
2 8 [Enter]
```

☐ ☐ ☐ ☐ ☐ [Confirm New Password] ☐ ☐ ☐ ☐ ☐

ヒント


- ```

★ 0 0 0 0 0 0 0 0 0 0 0 0
 0 0 0 0 0 0 [Esc] 0 0 0 0
 0 0 0

★ 0 0 0 0 0 0 0 0 0 0 0 9
 0 0 0 0 0 0 0 0 0 0 0 0
 a 0 0 0 0 0 0 0 0

```

**重要**


- ⊙ 

### 参照



2 [Save Values & Exit] [Enter] [Enter]

[Enter]

| Setup Confirmation                                                                                                         |
|----------------------------------------------------------------------------------------------------------------------------|
| Save configuration changes and exit now?  |
| [Yes] [No]                                                                                                                 |

3 [←] [→] [Yes] [Enter]

[Enter]

[Enter]

1 BIOS [Security]

2 [Set Supervisor Password] [Set User Password] [Enter]

3 [Enter Current Password] [Enter]

[Enter New Password]

4 [Enter] 8 [Enter]

[Confirm New Password]

5 [Enter]

6 [Enter]

7 BIOS

#### ヒント

- ★ [No] [Enter]





**1** BIOS 0 0 0 0 0 0 [Security] 0 0 0 0 0 0 0

**2** [Set Supervisor Password] 0 0 0 [Set User Password] 0 0 0 0 [Enter]  
0 0 0 0 0 0

**3** [Enter Current Password] 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0  
[Enter] 0 0 0 0 0 0  
[Enter New Password] 0 0 0 0 0 0

**4** 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 [Enter] 0 0 0 0 0 0  
[Enter]

**5** 0 0 0 0 0 0 0 0 BIOS 0 0 0 0 0 0 0 0 0





2 [Set Hard Disk Password] [Enter]

```
3 8000000000000000000000000000[Enter]000
000
```

[illegible]

4 [Enter]



□ □ □ □ □ □ □ □ □ □ □ □ □ □

5 [Enter]

□ [Security] □ □ □ □ □ □

6 [Enter] 3 [Esc]

⑤

⑥



# Wake on LAN

Wake on LAN

## Wake on LAN

Wake on LAN

## Wake on LAN

### Windows

Wake on LAN

1

2 [Realtek RTL8139/810x Family Fast Ethernet NIC] [Wake up on ARP/PING] [Disable] [OK]

3

4

### 重要

- Windows LAN
- Windows 4
- Windows BIOS

## BIOS 00000000

00000000 Wake on LAN 000000000000000000

1 00000000000000

2 00000000000000000000 Press <F12> to enter Boot Menu  
00000000 [F2] 00000000  
0 BIOS 0000000000000000

3 [→] 0000 [Advanced] 0000

0 [Advanced] 0000000000

4 [↓] 000 [Wake On LAN] 00000000000000000000  
00 Enabled 0000

5 [Esc] 000000

0 [Exit] 0000000000

6 [F10] 000000


0 000000000000000000000000000000

7 [←] 000 [→] 000 [Yes] 0000 [Enter] 000000

0 000000000000000000000000000000

### ヒント

★ [Wake on LAN] 000000  
00 [Security] 0 [Device  
Configuration] 0 [LAN] 0  
[Enabled] 0000000000  
000000



5 0000000000000000 [ ↑ ][ ↓ ]000000 [SPACE] 00  
0000

0 0000000000000000 100000000

6 000000000 50000000

# USB2.0

USB  
USB2.0 USB1.1

1 [ ] - [ ]

[ ]

2 [ ]

[ ]

3 [ ] [ ]

[ ]

4 [USB(Universal Serial Bus) ] - [ PC to USB ]

5 [ ]



[ PC to USB ] ×  
USB1.1

ヒント

★ [ ]  
[ ]  
[ ]







⑤

0000000000000000  
0000000000000000  
0000000000000000  
0000000000000000  
0000

⑥ IEE1394 USB

0000000000000000  
0000000000000000  
00












[Shift] 00000000  
00000000000000000000



HDD 0000000000



00000000000000000000  
0000000000000000



0000000000000000

#### 重要



- ◎ 0000000000000000  
0020000000000000  
0002000000000000  
0000000000000000  
0000000000000000
- ◎ 0000000000000000  
0000000000000000  
0000000000000000  
00

#### 重要

- ◎ 0000000000000040  
0000000000000000  
000000000000
- ◎ 0000000000000000  
0000000000000000  
0000000000000000  
0000000000000000  
000000

#### 重要

- ◎ 000000 FD CD-ROM 0  
0000000000000000  
0000000000000000  
0000000000000000  
0000000000000000  
000000  
0000000000000000  
00[Ctrl]000[Alt]000  
000000[Delete]0000  
0000000000000000
- ◎ 0000000000000000  
0000000000000000  
0000000000000000


[illegible]

★

```
[0 0 0 0 0 0 0 0 0] 0
[0 0 0 0 0 0 0 0 0 0 0 0
0] 0 0 0 0 0 0 0 0 0 0 0 0
0 0 [0 0 0 0 0 0 0 0] 0 0 0
0 0 0 0 0 0 0 0 0 0 0 0
```



# 3□



□□□□□□□□□□□□□□□□□□□□□□

LAN 

☐ LAN ☐

□ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □

[illegible]

```

000
000000000000[Intel(R) 82830M Graphics Controller00000000]0000
0000

```

[illegible]

[ Intel (R) 82830M Graphics Controller ]

PC Intel (R) Dual Display One

★ ☐ ☐ LAN ☐ 1 ☐ 14ch ☐ ☐ ☐  
☐ ☐ ☐ ☐ ☐



## VirusScan

VirusScan  
VirusScan  
VirusScan  
Mc  
VirusScan  
http://www.hitachi.co.jp/Prod/comp/OSD/vakzi/n/vakzi\_n\_.html  
VirusScan  
McAfee VirusScan  
VirusScan  
Administrator  
VirusScan  
VShield  
VirusScan  
McAfee VirusScan  
VirusScan  
VirusScan  
VShield  
First User Switch

AOL for Windows  
CCN  
i.sao.net  
POINT  
BLOBE

## BEAMSTAR

BEAMSTAR  
d:\program\beamstar  
pdf  
txt



## Intel Chipset Software Installation Utility

□□□□□□□□□□□□ Intel □□□□□□□□□□□□□□□□  
□□□□□□□□□□□□

## Acrobat Reader

□□□□□□□□□□□□□□ PDF□□□□□□□□□□□□□□□□  
□□□□□□□□

## CyberSupport for HTACH

□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□  
□□□□□□□□

### 参照

□□□□□□□ → Windows□□□□  
□□□□□□2□□□□□□□□□□  
□□□□

### 参照

□□□□□□□ → Windows□□□□  
□□□□□□2□□□□□□□□□□  
□□□□



```

NTFS :
 HDD
 HDD
 { }
[] []
 Explorer.exe
 (PF) []
 [] { }

```

[illegible]

```

Windows 3.1 MS-DOS 5.0/V MS-DOS 6.2/V HDD
Microsoft PowerPoint STOP
Microsoft PowerPoint STOP
Microsoft Excel STOP
Microsoft Office

```

[illegible]





Windows 3.11 Windows NT 4.0  
TrueType TrueType

[illegible]

```

TELNET:
DHCP Client
(1) DHCP Manager
IP
(2)
NetWare Compatible Client Service: NET USE
NetWare
VDM
(>LPT1)
Windows NT Server 4.0 TCP/IP
TCP/IP
ipfragment ON
ip
WAN
Windows NT TCP/IP
ip
RAS
DBCS
Windows NT RAS
Windows 95 RAS
RAS
RAS
NetWare for Htachi/W
NetWare for Htachi 3050
MWLink IPX/SPX
1
NetWare
NET USER
/Homedirreq

```









||||| □□□□□□□□□□□□□□□□□□□□□□□□□□□□  
□□□□□□

| □□□□□□       | □□□□□□□□     | □□□                        |
|--------------|--------------|----------------------------|
|              | ○□□□<br>×□□□ | ○□□□□□□□□□□<br>×□□□□□□□□□□ |
| □□□□□□□□     | □            | □                          |
| □□□□□□□□□□   | □            | □                          |
| LAN□□□□□     | □            | □                          |
| □□□□□□□□     | □            | □                          |
| □□□□□□□□□□□□ | □            | □                          |
| □□ LAN□□□□□  | □            | □                          |
| DMA□□        | □            | □                          |

#### ヒント

- ★ □□□□□□□□□□□□□□○  
□□□□□□□□□□□□□□  
□□□□□□□□□□□□□□  
□□□□□□
- ★ □□□□□□□□□□□□□□  
□□□ Windows XP□□□□□□  
□□□□ Windows□□□□□□  
□□□□□□□□□□□□□□  
□□□□□□□□□□□□□□  
□□□□□□□□□□□□□□  
□□□□□□□□□□□□□□  
□□□□□□□□□□□□□□

#### 重要

- ◎ □□□□□□□□□□□□□□  
□□□□□□□□□□□□□□  
□□□□□□□□□□□□□□  
□□□□□□
- ◎ □□ LAN□□□□□□□□□□  
□□□□□□ LAN□□□□□□  
□□□□□□□□□□□□□□  
□□□□□□□□

□□□□□□□□□□

1 □□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□

2 [□□□□]□□□- [□□□□□□□□□□□□□□□□]□□□□□□□□  
c:\Mitachi\drivers\Xp\svga\setup□□□□□□[OK]□□□□□□□□□□  
□□□  
□ [□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□]

3 [□□]□□□□□□□□□□□□□□  
□ [□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□]

4 [□□]□□□□□□□□□□□□□□  
□ [□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□□]



**5** [Realtek RTL8139 Family PCI Fast Ethernet NIC] - Realtek RTL8139 Family PCI Fast Ethernet NIC  
[Realtek RTL8139 Family PCI Fast Ethernet NIC] - Realtek RTL8139 Family PCI Fast Ethernet NIC

7 [ 00000000000000000000 ( 00 ) ] 00000000  
00[00]0000000000000000  
0 [ 0000000000000000 ] 00000000

```
8 [00000000] 00000000 c:\hitachi\drivers\xpman\
000[00]000000000000
[0000000000000000000000000000]
000000
```

[illegible]

## 10 Realtek RTL8139/810x Family Fast Ethernet NIC [00000000] [00000000]

1

2.  $[0000]000 - [000000000000]00000000$   
 $[000000000000]00000000$





## 6 [ ] [ ] [ ] [ ] [ ] [ ] [ ] [ ] [ ] [ ] [ ] [ ]

[illegible][illegible][illegible]

## 8 [ ]

[illegible]

[ ]

9 [ 0 0 0 0 ] 0 0 0 - [ 0 0 0 0 0 0 0 0 0 0 0 0 0 0 ] 0 0 0 0 0 0 0

c:\hitachi\drivers\exp\touchpad\alwheel.reg [OK]

□ □ □ □ □ □ □ □

□ □ c: dri vers xp touch pad al wheel . reg □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □

□ □ □ □ □ □ □ □ □ □

[illegible]

c:\drivers\ypp\touchpad\alwheel.reg

[illegible]

**11**[OK] □ □ □ □ □ □ □ □ □ □

OK

LAN

# 1

## 2 [ ] [ ] [ ] [ ] [ ] [ ] [ ] [ ] [ ] [ ]

[ ]

[illegible]

### 3 [ ] [ ] [ ] [ ] [ ] [ ] [ ] [ ] [ ] [ ] [ ] [ ] [ ] [ ]

[illegible][illegible]

□ □ □ □ □ □ □ □ □ □



7 [ 0000 ] 0000000000 [ 000000 ] 0 [ 00000000  
00 ) 0000000 [ 0000000000000000 0000000000  
000 [ 000000 ] 0 [ 0000 ] 0000000

ヒント

| 구분                                          | 주요 소프트웨어 | 구분                 |
|---------------------------------------------|----------|--------------------|
|                                             | ○필수 ×선택  | ○필수 ○선택<br>×선택 ○선택 |
| 기본 소프트웨어                                    | x        | x                  |
| VirusScan                                   | x        | x                  |
| Intel Chipset Software Installation Utility | □        | □                  |
| 인텔® 프로세서 드라이버                               | □        | □                  |
| Norton Ghost 2002                           | x        | x                  |
| Microsoft® Office XP (선택 Office XP) *       | x        | □                  |
| Easy CD Creator *                           | x        | x                  |
| PowerDVD XP *                               | x        | x                  |
| SLM-TEGA 드라이버                               | x        | x                  |
| Acrobat Reader                              | □        | □                  |
| CyberSupport for H-TACH                     | □        | □                  |


[illegible]

|   |   |   |   |   |   |   |   |   |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |    |     |
|---|---|---|---|---|---|---|---|---|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|-----|
| 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | 17 | 18 | 19 | 20 | 21 | 22 | 23 | 24 | 25 | 26 | 27 | 28 | 29 | 30 | 31 | 32 | 33 | 34 | 35 | 36 | 37 | 38 | 39 | 40 | 41 | 42 | 43 | 44 | 45 | 46 | 47 | 48 | 49 | 50 | 51 | 52 | 53 | 54 | 55 | 56 | 57 | 58 | 59 | 60 | 61 | 62 | 63 | 64 | 65 | 66 | 67 | 68 | 69 | 70 | 71 | 72 | 73 | 74 | 75 | 76 | 77 | 78 | 79 | 80 | 81 | 82 | 83 | 84 | 85 | 86 | 87 | 88 | 89 | 90 | 91 | 92 | 93 | 94 | 95 | 96 | 97 | 98 | 99 | 100 |
|---|---|---|---|---|---|---|---|---|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|----|-----|

[illegible]

2 d:\programs\net\ch\set up [Enter]

### 3

★ 

★ □ □ □ □ □ □ □ ○ □ □ □ □ □

□ □ □ □ □ □ □ □ □ □ □ □ □ □ □

□ □ □ □ □ □ □ □ □ □ □ □ □ □ □

**重要**

© □ □ □ □ □ □ □ □ □ □ □ □  
□ □ □ □ □ □ □ □ □ □ □ □  
□ 10 □ □ □ □ □ □ □ □ □ □  
□ □ □ □ □ □ □ □ □ □ □ □  
□ □

[illegible]

## MirusScan

# 1

**2** [ ] [ ] [ ] [ ] [ ] - [ ] [ ] [ ] [ ] [ ] [ ] [ ] [ ] [ ] [ ] [ ]  
[ ] [ ] [ ] [ ] [ ] [ ] [ ] [ ] [ ] [ ] [ ] [ ] [ ] [ ] [ ] [ ]

3 d:\program\Avscan\set up [OK]

[illegible][illegible][illegible]

**7** [00000000]00000000[00]0000000000  
   [0000000000000000]00000000

[illegible][illegible]

10. 00000000 00000000(00) 000000000000
- ☐ [McAfee VirusScan 000000000000000000000000] 00000000

11. 000 000000000000
- ☐ 000000000000

## Intel Chipset Software Installation Utility

1. 0000000000000000000000000000000000
2. 0000 0000 - 000000000000 00000000  
 c:\hitachi\drivers\xp\inf\setup 000000 [OK] 0000000000  
 00
- ☐ [Intel(R) Chipset Software Installation Utility] InstallShield(R) 00  
 00000000 0000000000
3. 000 000000000000
- ☐ 00000000 0000000000
4. 000 000000000000
- ☐ [Ready 00] 0000000000
5. 000 000000000000
- ☐ [InstallShield(R) 000000000000 0000000000
6. 000 000000000000

□ □ □ □ □ □ □ □ □ □ □ □

1 [□□□□]□□□□ [□□□□□□□□□□□□]□□□□□□□□  
□ [□□□□□□□□□□□□]□□□□□□□□

2 d:\program\internet\marks\pinet011□□□□□ [OK]□□□□□□□□  
□□□□  
□ [□□□□]□□□□□□□□

3 □□□□□□□□□□□□□□□□

## Norton Ghost 2002

1 [□□□□]□□□□ - [□□□□□□□□□□□□]□□□□□□□□  
□ [□□□□□□□□□□□□]□□□□□□□□

2 d:\program\ghost\install\setup□□□□□ [OK]□□□□□□□□□□  
□ [Norton Ghost 2002□□□□□□□□□□□□□□□□]□□□□□□□□

3 [□□]□□□□□□□□□□□□  
□ [□□□□□□]□□□□□□□□

4 □□□□□□□□□□□□□□□□  
□□□□□□□□□□ [Norton Ghost 2002□□□□□□□□□□□□]□  
□□□□□□□□ [□□□□]□□□□□□□□□□□□□□□□□□□  
□□□□

### 参照

Norton Ghost 2002□□□□□□□□  
→ d:\program\ghost\Readme.txt □  
d:\program\ghost\Documents\Ghost  
\_guide.pdf □□□□□□□□□□



## Acrobat Reader

- 1 [0000]000 - [0000000000000000]00000000  
☐ [0000000000000000]00000000
- 2 d:\programs\acrobat reader\ar505j.pn [OK] 0000000000  
☐ [Adobe Acrobat 5.0.5]00000000
- 3 00000000000000000000  
☐ 00000 [00]0000000000
- 4 [OK]000000000000

## CyberSupport for HTACH

- 1 [0000]000 - [0000000000000000]00000000  
☐ [0000000000000000]00000000
- 2 d:\programs\cybersupport\setup 0000 [OK] 000000000000
- 3 CyberSupport for HTACH 00000000000000000000  
 00 ? 0000000000000000 [00]000000000000  
☐ CyberSupport 0000000000000000000000
- 4 000000000000000000000000000000 [00]00  
 0000000000  
☐ 0000000000000000

重要

◎ 0000000000000000  
 0000000000000000  
 0000000000

# Windows

Windows のインストールとアップグレードの準備

1. [インストール] ボタンをクリックして、インストールを開始します。

2. [インストール] ボタンをクリックして、インストールを開始します。

3. [Windows] ボタンをクリックして、インストールを開始します。

4. 1. [インストール] ボタンをクリックして、インストールを開始します。

5. [インストール] ボタンをクリックして、インストールを開始します。

## ヒント

★ [インストール] ボタンをクリックして、インストールを開始します。

















CD-R/RW 光盘刻录时，光盘表面是否有划痕？  
如果有划痕，光盘还能使用吗？

## FD 盘

Q

FD 盘是什么？

A

FD 盘是一种 5.25 英寸的软盘，容量为 1.44MB。它是由 5.25 英寸的塑料片制成的，片面上涂有一层磁性材料。

FD 盘在早期的个人计算机中广泛使用，如 IBM PC 兼容机和 Macintosh。它的容量为 1.44MB，即 1440KB。在 3.5 英寸的软盘出现之前，FD 盘是主流的存储介质。

Q

FD 盘和 3.5 英寸软盘有什么区别？

A

FD 盘和 3.5 英寸软盘的主要区别在于容量和物理尺寸。FD 盘的容量为 1.44MB，而 3.5 英寸软盘的容量为 1.44MB 或 2.88MB。FD 盘的物理尺寸为 5.25 英寸，而 3.5 英寸软盘的物理尺寸为 3.5 英寸。

Macintosh 使用 3.5 英寸软盘，而 FD 盘则用于其他系统。

FD 盘和 3.5 英寸软盘都是可移动的存储介质，但它们的使用方式和兼容性不同。

FD 盘和 3.5 英寸软盘都是可移动的存储介质，但它们的使用方式和兼容性不同。

Q

FD 盘和 3.5 英寸软盘有什么区别？

A

FD 盘和 3.5 英寸软盘的主要区别在于容量和物理尺寸。FD 盘的容量为 1.44MB，而 3.5 英寸软盘的容量为 1.44MB 或 2.88MB。FD 盘的物理尺寸为 5.25 英寸，而 3.5 英寸软盘的物理尺寸为 3.5 英寸。

FD 盘和 3.5 英寸软盘都是可移动的存储介质，但它们的使用方式和兼容性不同。

参照

1.44MB 的软盘 → 1.44MB 的软盘  
2.88MB 的软盘 → 2.88MB 的软盘  
3.5 英寸的软盘 → 3.5 英寸的软盘

0 0 0 0 0 0 0 0 0 0 0 0

**Q**

FDD 0 0 0 0 0 0 0 0 0 0 0 0

**A**

0 FDD 0 0 0 0 0 0 0 0 0 0 FDD 0 0 0 0 0 0 0 0 0 0 0 0  
 0 0 0 3.5 0 0 0 FDD 0 0 0 0 0 0 0 0 0 0 0 0 FDD 0 0 0 0 0 0 0 0  
 0 0 0 0 0 0

**Q**

HDD 0 0 0 0 0 0 0 0 0 0 0 0

**A**

0 HDD 0 0 0 0 0 0 0 0 0 0 0 0 ( 0 0 0 0 0 0 0 0 ) 0 0 0 0 0 0 HDD 0 0 0 0 0 0  
 0 0 0 0 0 0 0 0 0 0 0 0 ( 0 0 0 0 0 0 0 0 ) 0 0 ( 0 0 0 0 0 0 0 0 ) 0  
 HDD 0 0 0 0 0 0 0 0 0 0 0 0 ( 0 0 0 0 0 0 ) 0 ( 0 0 0 0 ) 0 0 0 0 0 0 0 0  
 0 0 0 0 0 0 0 0

HDD 0 0 0 0 0 0

**Q**

HDD 0 0 0 0 0 0 0 0 0 0

0 0 0 0 0 0 0 0 0 0 0 0

0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0

0 HDD 0 0 0 0 0 0 0 0 0 0 0 0

0 MD 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0

**Q**

1 0 0 HDD 0 0 0 0 0 0 0 0 0 0 0 0

**A**

0 0 0 0 0 0 ( 0 0 0 0 0 0 0 0 ) 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0  
 0 0 0 0 0 0 0 0

0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0

**Q**

0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0

**A**

0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0

0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0  
 0 0 0 0 0 0 0 0 0 0

0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0

0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0

参照

0 0 0 0 0 0 0 0 0 0 0 0 →  
 0 Windows 0 0 0 0 0 0 0 0 0 0 3 0  
 0 0 0 0 0 0 0 0 0 0 0 0

参照

0 0 0 0 0 0 0 0 0 0 0 0 → 0 0 0  
 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0  
 0 0 0 2 0 0 0 0 0 0 0 0 0 0












A



□ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □


[illegible]

2.  $\frac{1}{2} \left( \frac{1}{2} + \frac{1}{2} \right) = \frac{1}{2}$



□ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □ □

A

[illegible]
$$2 \begin{pmatrix} x_1 & x_2 \\ x_3 & x_4 \end{pmatrix} = \begin{pmatrix} x_1 + x_2 & x_1 - x_2 \\ x_3 + x_4 & x_3 - x_4 \end{pmatrix}$$


□ □ □ □ □ □ □ □ □ □ □ □ □ □

[illegible][illegible]

### 参照





















HTAC →

| □□□□□□□□                     | □□□□□□                                        | □□□□                                                                        | FAX□□          |
|------------------------------|-----------------------------------------------|-----------------------------------------------------------------------------|----------------|
| Microsoft Office XP          | □□□□□□□□□□□□□□□□                              | 03- 5354- 4500<br>06- 6347- 4400                                            | □              |
| AOL for Windows              | AOL □□□□□□□□                                  | 0120- 275- 265                                                              | □              |
| □□□□□□□□□□<br>BI GLOBE       | BI GLOBE □□□□□□□□                             | 0120- 86- 0962                                                              | □              |
| □□□□□□□<br>□□□□□□□□□         | □□□□□□□□□□□□□□□□<br>□□□□                      | 0120- 5656- 86                                                              | 045- 222- 8561 |
| i sao.net □□□□□□             | i sao□□□□□□□□□                                | 0570- 057- 050                                                              | □              |
| CCN□□□□□□□□                  | CCN□□□□□□□□□□□□                               | 0120- 047- 815                                                              | □              |
| CCN□□□□□□□□                  | CCN□□□□□□□□                                   | 0088- 86<br>( □□□□□□ )<br>0088- 85<br>( □□□□□□ )                            | 0088- 22- 8850 |
| □□□□□□□□□□□<br>□□□□ ( PO NT) | PO NT□□□□□□□<br>□□ TTnet □□□□□□□□             | 0081- 1588                                                                  | □              |
| □□□□□□□□□□                   | □□□□ □□□□□<br>□□□□□□□□□<br>□□□□□□□□□□□□□□□□ G | e-mail :<br>internet-marks@n.itg.hitachi.co.jp<br>□ e-mail □□□□□□□□□□□□□□□□ |                |
| Easy CD Creator              | H TAC□□□□□□□□□□□□                             | 0120- 2580- 91                                                              | □              |
| Norton Ghost 2002            |                                               |                                                                             |                |
| PowerDVD XP                  |                                               |                                                                             |                |
| Acrobat Reader               |                                               |                                                                             |                |
| CyberSupport for<br>H TACH   |                                               |                                                                             |                |

- [illegible]





## A

Acrobat Reader 44, 63

## B

BEAMSTAR 42

BIOS 19

Boot Menu 28

## C

CyberSupport for HTACH 44, 63

## D

DMA 15

DVD Video 15

## E

Easy CD Creator 43

## H

HDD 32

## I

I/O 17

Intel Chipset Software Installation Utility 44, 61

IRQ 17

## L

LAN 40, 53

## N

Norton Ghost 2002 43, 62

## O

Office XP 43

## P

PowerDVD XP 43

## S

Security 20

## V

VirusScan 41, 60, 83

VShield 83

## W

Wake on LAN 26

Windows 16

Windows 64

## 

59

## 

75  
43, 62

## 

12

## 

32

## 

52, 59

## 

40, 53

## 

16

## 

32  
12

## 

55  
7

## 

15

## 

64

## 

32

## 

52

## 

59

## 

18

## 

52, 40

## 

40  
78

## 

13

□  
□ □ □ □ □ □ □ □ □ □ 8

□  
□ □ LAN □ □ □ □ 40

□  
□ □ □ 81  
□ □ □ □ 16

□  
□ □ □ □ □ □ □ 40, 54

□  
□ □ □ □ □ □ □ □ 11

□  
□ □ □ □ □ □ 17

Microsoft MS-DOS Windows Microsoft Corp.  
Intel Pentium Intel Corporation  
Microsoft MS-DOS Windows Microsoft Corp.  
Intel Pentium Intel Corporation

2003 5

2003 5

2003 5

2003 5



Hitachi

Hitachi

243-0435 810

HCA 0120-2580-91

Copyright © Hitachi, Ltd. 2003. All rights reserved.

HITACHI